



TRILAX



Design: Fritz Makiol




girsberger

TRILAX



			
Trilax Mod. 1 Classic			
1	Seat width 460 mm Anchura del asiento 460 mm Zitbreedte 460 mm	●	
1/2	Two backrest heights 450 mm / 590 mm Dos alturas de respaldo 450 mm / 590 mm Twee rughoogten 450 mm / 590 mm	●/●	
3	Synchronous mechanism Mecanismo sincrónico Synchroon mechaniek	●	
	Seat height adjustment 140 mm I shock-absorbing suspension Ajuste de altura del asiento 140 mm I suspensión elástica de confort Zithoogteverstelling 140 mm I comfortabele diepteveering	●	
Trilax Mod. 2 Classic			
1/2	Seat width 510 mm Anchura del asiento 510 mm Zitbreedte 510 mm	●	
1/2	Two backrest heights 530 mm / 665 mm Dos alturas de respaldo 530 mm / 665 mm Twee rughoogten 530 mm / 665 mm	●/●	
3	Synchronous mechanism Mecanismo sincrónico Synchroon mechaniek	●	
	Seat height adjustment 140 mm I shock-absorbing suspension Ajuste de altura del asiento 140 mm I suspensión elástica de confort Zithoogteverstelling 140 mm I comfortabele diepteveering	●	
Armrests Reposabrazos Armligger			
4/5	Armrests fixed plastic / upholstered Reposabrazos fijos Material sintético / tapizados Armliggers vast kunststof / gestoffeerd	●/●	/●
Base Base Onderstel			
	Base aluminium black-coated Base de aluminio epoxi negro Onderstel aluminium zwart geëpoxeerd	●	
	Base aluminium polished Base de aluminio pulido Onderstel aluminium gepolijst	●	
6	Conference chair with 5-prong base Silla de conferencia con base de 5 radios Conferentiestoel met 5 stervoet	●	
Features Equipamiento Opties			
	Coat hanger chromed Percha cromada Kleerhanger verchromd	○	
7	Headrest black Reposacabezas negro Hoofdsteun zwart	○	
Visitor chair Silla de visitas Bezoekersstoel			
8	Cantilever frame black / chromed Estructura de patín negra / cromada Sledemodel zwart / verchromd		●/●

● standard estándar **standaard** ○ optional opcional **optioneel**



Girsberger AG, Bützberg, CH
 Girsberger AG, Wien, A
 Girsberger France, Paris, F
 Girsberger GmbH, Endingen, D
 Girsberger UK, London, GB
 Girsberger Benelux BV, Amsterdam, NL
 Girsberger Industries, Inc., Smithfield, USA
 Tuna-Girsberger Tic. AS, Silivri, TR

mail@girsberger.com
 www.girsberger.com

5 years guarantee
 5 años de garantía
 5 jaar garantie



Measurements according to EN 1335. Information subject to alterations
 Medidas según EN 1335. Reservado el derecho a modificaciones
 Maten volgens NEN-EN 1335 en NPR 1813. Informatie onder voorbehoud
 van wijzigingen

girsberger